NAME	TYPE	SPECIFIER

HOUSING

ST850 - [ ] - [ ][ ][ ]

LENS	FINISH
F Frosted	BLK Black
C Clear	WHT White
P Prismatic	

ST850-C - [ ] - [ ][ ][ ]

CORNER

LENS	FINISH
F Frosted	BLK Black
C Clear	WHT White
P Prismatic	

LIGHT ENGINE

[ ][ ] 24 - [ ][ ] - [ ][ ]

LIGHT ENGINE		COLOR CODE		MODEL TYPE
95 9524	89 8924	22 2150K	A Amber	LE Light Engine
15 1524	49 4924	24 2350K	B Blue	FR Frangible Rigid 9524 ONLY
	39 3924	26 2550K*	R Red	
		27 2650K	G Green	
		30 2950K		
		35 3450K		
		40 3950K		
		55 5500K†		

*2550K ONLY AVAILABLE 3000, 4000 & 8000 SERIES LE

† 5500K ONLY AVAILABLE 9000-FR

LEADS

POWER LEADS		TOTAL SUSPENSION POINTS	
AC-A96	White 96”	SK-2	2
ACB-A96	Black 96”	SK-3	3
AC-A	Custom	SK-4	4

DRIVER

DC MLV		Z 0-10V	X DMX, 1 CHANNEL
[ ] D50-DC	[ ] 120 VAC	[ ] D100-Z2	[ ] D100-X1
[ ] D100-DC	[ ] 240 VAC		**DMX CONTROLLER**
[ ] D300-DC3	[ ] 277 VAC		[ ] AX5-1 [ ] DTM

M NON DIMMING	DM 0-10V DIMMING MODULE	A LUTRON	
[ ] D12-M	[ ] DM-Z1	[ ] **D40-A**, Hi-lume 1% 2-wire, Constant Voltage, UL-Recognized, 40W	[ ] **D40-A-L3D**, Hi-lume 1% EcoSystem/3-Wire, Constant Voltage, UL-Recognized, 40W
[ ] D20-M		[ ] **D40-A-R**, Hi-lume 1% 2-wire, Constant Voltage, UL-Listed, 40W	[ ] **D40-A-L3D-R**, Hi-lume 1% EcoSystem/3-Wire, Constant Voltage, UL-Listed, 40W
[ ] D40-M			[ ] **D100-A**, Hi-lume Premier 0.1%, Constant Voltage, UL-Listed, 96W
[ ] D100-M			

Required Fixture Lengths

Please input fixture lengths/ quantity & configuration types

[ ] **Standard Lengths**
Light Engines are cut to minimum increments
Track measurements are rounded down and cut to the inch. 1” tolerance

[ ] **Precision Lengths**
Light Engines are cut to minimum increments
Track is cut to a fraction of an inch. 1/8” tolerance

ZONE	LENGTH	QUANTITY	CONFIGURATION TYPE

Notes

Refer to Light Engine Data Sheets for Light Engine Increments.

Allow tolerance for wiring/ plugs

Fixtures up to Class 2 max. length

Fully assembled up to ≤ 8 ft. (96 in).

Fixtures > 8 ft. (96 in) may require assembly at the job site.

SIGNATURE

[ ] Final Order Lengths (Requires Signature)

[ ] Budgetary only, requires field verification

Components of a complete system include: Aion LED A-Track Light Engine, Aion LED A-Track housing with diffuser lens, & Aion LED driver (power supply). Dimmer not included. Approved dimmers, controls, power supplies, cable, & other components only. Contact Aion LED for questions regarding compatibility. Electrician installed. Strictly adhere to NEC & local building code. Limited 5-year warranty against manufacturing defects only, does not cover labor; voided by: inadequate ventilation, field modifications, installation by unqualified personnel, unapproved controls, drivers, cabling, other devices, not following installation guidelines & protocol, general negligence. Installer assumes all liability with regard to property & safety. This product is UL listed. See separate “Aion LED Warranty Terms” & additional instructional materials for more information. Authorized installers only. Systems tested prior to shipping.

© 2017 Aion LED. All Rights Reserved